

Page: 1/8

Revision: 13 March 2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: PRO PERFORMANCE Metal Treatment
- · Other means of identification: No other identifiers
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: Metal surface treatment
- · Uses advised against:

For professional use only.

Not recommended for Medical Device or Drug use.

- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

e9 Treatments, Inc 159 Enterprise Pkwy Boerne, TX 78006 (210) 742-1051

insidesales@e9treatments.com

(211) 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not Regulated
- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated.
- · Precautionary statements Not Regulated.
- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Cont'd. on page 2)



Page: 2/8

Revision: 13 March 2025

Trade name: PRO PERFORMANCE Metal Treatment

(Cont'd. from page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Components:		
CAS: 163702-07-6	methyl nonafluorobutyl ether	20-95%
EC number: 605-339-3	substance with a Community workplace exposure limit	
CAS: 163702-08-7	methyl nonafluoroisobutyl ether	20-95%
EC number: 605-340-9	substance with a Community workplace exposure limit	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Slight irritant effect on eyes.

Nausea in case of ingestion.

May cause gastro-intestinal irritation if ingested.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Foam

Carbon dioxide

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.



Page: 3/8

Revision: 13 March 2025

Trade name: PRO PERFORMANCE Metal Treatment

(Cont'd. from page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Ensure adequate ventilation

· 6.2 Environmental precautions

Avoid release to the environment.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Use only in well ventilated areas.

Keep out of reach of children.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

163702-07-6 methyl nonafluorobutyl ether

American Industrial Hygiene Association (AIHA) TWA 750 ppm (8-hr)

163702-08-7 methyl nonafluoroisobutyl ether

American Industrial Hygiene Association (AIHA) TWA 750 ppm (8-hr)

- · DNELs: No further relevant information available.
- · PNECs: No further relevant information available.

(Cont'd. on page 4)



Page: 4/8

Revision: 13 March 2025

Trade name: PRO PERFORMANCE Metal Treatment

(Cont'd. from page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Avoid breathing mist/vapours/spray.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • Appearance Form: Liquid

Colour: Colourless

Odour: Ether-like

Odour threshold: Not determined.

· **pH-value:** Not determined.

Melting point/freezing point:

 Initial boiling point and boiling range:
 -135 °C

· Flash point: Not applicable.

Flammability (solid, gas): Not applicable.
 Auto/Self-ignition temperature: 405 °C

• Decomposition temperature: Not applicable.

(Cont'd. on page 5)



Page: 5/8

Revision: 13 March 2025

Trade name: PRO PERFORMANCE Metal Treatment

	(Cont'd. from page
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Oxidising properties	Non-oxidising.
· Vapour pressure at 25 °C:	269 hPa
· Density:	
Relative density:	1,5 (water = 1)
Vapour density:	8,6 (air = 1)
Evaporation rate:	49 (butyl acetate = 1)
· Solubility in / Miscibility with	
water:	<12 ppm
· Partition coefficient: n-octanol/water	at 30 °C: 3.9
· Viscosity	
Dynamic at 23 °C:	0.6 cP
Kinematic:	Not determined.
9.2 Other information No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity The product is non-reactive under normal conditions of use, storage and transport.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong acids.

Reacts with strong alkali.

Reacts with strong oxidizing agents.

- · 10.4 Conditions to avoid Excessive heat.
- · 10.5 Incompatible materials Oxidisers, strong bases, strong acids
- · 10.6 Hazardous decomposition products

Hydrogen fluoride

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)



Page: 6/8

Revision: 13 March 2025

Trade name: PRO PERFORMANCE Metal Treatment

		(Cont'd. from page 5)			
· LD/LC50 values relevant for classification:					
163702-07-6 methyl nonafluorobutyl ether					
LD50	>5000 mg/kg (rat)				
LC50/4h	>100000 ppm (rat)				
163702-08-7 methyl nonafluoroisobutyl ether					
LD50	>5000 mg/kg (rat)				
LC50/4h	>100000 ppm (rat)				
	7-6 methy LD50 LC50/4h 8-7 methy LD50	7-6 methyl nonafluorobutyl ether LD50 >5000 mg/kg (rat) LC50/4h >100000 ppm (rat) 8-7 methyl nonafluoroisobutyl ether			

- · Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

	$\Delta \alpha$	uatic	tov.	ICIT\	,.
-	ΛЧ	uatic	LUA	IVILI	

LC50 | >8,9 mg/l (Green Algae (chlorophyta)) | >7,9 mg/l (pimephales promelas)

EC50 >10 mg/l (daphnia)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Avoid release to the environment.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Cont'd. on page 7)



Page: 7/8

Revision: 13 March 2025

Trade name: PRO PERFORMANCE Metal Treatment

(Cont'd. from page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name DOT, ADR, IMDG, IATA 	Not Regulated	
· 14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
· 14.4 Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann of Marpol and the IBC Code	nex II Not applicable.	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.

(Cont'd. on page 8)



Page: 8/8

Revision: 13 March 2025

Trade name: PRO PERFORMANCE Metal Treatment

(Cont'd. from page 7)

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com